

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.



Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Figure 1




SCANNED # 12

Figure 2



067557 061304
 102160 2756780

Figure 3



09679572-031201

Figure 4






Figure 5



0987337E 0047

Figure 6



THE **NEW** **YORK** **PUBLIC** **LIBRARY** **ASTEN LENOX TILDEN FOUNDATION**




Figure 8

2826


CB4-P/HIV1074 CAGGAGATGAATGAGGAAGCTGCAGAATGGGATAGACTAGAGGCGCCAGTGCAG
CB4-P/HIV9104ATAGCAGGAAGTACTAGTACCCCTTCAG---.....
CB4-P/HIV9148AGCAGCATTCTGGACATAAGACAAGGA---.....

0937554.0047

THE

1500 655 OTC 05:07 T002 50-1100

Figure 10



102190" 2265/860

Figure 11





Figure 12



0987557-004.004

Figure 13











Figure 14



0927957E.001.001